botanacor

CERTIFICATE OF ANALYSIS

prepared for: HCF
235 MOORE DR.
FLORENCE, CO 81226

HCF 500mg11-21

Batch ID:	HCF 500mg 11-21	**Test ID:**	T000176652
Matrix:	Finished Product	**Received:**	11/17/2021 @ 10:55 AM
Test:	Microbial Contaminants	**Started:**	11/18/2021
Method:	TM25 (qPCR) TM24, TM26, TM27, TM28 (Culture Plating)	**Reported:**	11/22/2021

MICROBIAL CONTAMINANTS

Contaminant	Method	LOD	LLOQ	ULOQ	Result
Total Aerobic Count*	TM-26 Culture Plating	10^2 CFU/g	10^3 CFU/g	1.5x10^5 CFU/g	**None Detected**
Total Coliforms*	TM-27 Culture Plating	10^1 CFU/g	10^2 CFU/g	1.5x10^4 CFU/g	**None Detected**
Total Yeast and Molds*	TM-24 Culture Plating	10^1 CFU/g	10^2 CFU/g	1.5x10^4 CFU/g	**None Detected**
E. coli	TM-28 Culture Plating	1 CFU/g	NA	NA	**Absent**
***E. coli* (STEC)**	TM-25 PCR	1 CFU/g	NA	NA	**Absent**
Salmonella	TM-25 PCR	1 CFU/g	NA	NA	**Absent**

** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.*
Examples: 10^2 = 100 CFU
10^3 = 1,000 CFU
10^4 = 10,000 CFU
10^5 = 100,000 CFU

NOTES:
Free from visual mold, mildew, and foreign matter

DEFINITIONS:
CFU/g = Colony Forming Units per Gram.
LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation
LLOQ = Lower Limit of Quantitation

FINAL APPROVAL

Eden Thompson-Wright
11/22/2021
1:04:00 PM
PREPARED BY / DATE

Jackson Osaghae-Nosa
11/22/2021
1:09:00 PM
APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.

ilac-MRA A2LA ACCREDITED
Certificate #4329.03